

AISI Thickness Tolerance Ranges for Galvanized Steel Sheets

Gauge No.	Thickness inches		lbs per sq. ft	Gauge No.	Thickness inches		lbs per sq. ft
	Dec. equiv	Tol Rnge.	Weight equiv.		Dec. equiv	Tol Rnge.	Weight equiv.
10	.1382	.1472 .1292	5.78125	21	.0366	.0406 .0326	1.53125
11	.1233	.1323 .1143	5.15625	22	.0336	.0376 .0296	1.40625
12	.1084	.1174 .0994	4.53125	23	.0306	.0346 .0266	1.28125
13	.0934	.1014 .0854	3.90625	24	.0276	.0316 .0236	1.15625
14	.0785	.0865 .0705	3.28125	25	.0247	.0287 .0207	1.03125
15	.0710	.0770 .0650	2.96875	26	.0217	.0247 .0187	0.90625
16	.0635	.0695 .0575	2.65625	27	.0202	.0232 .0172	0.88437
17	.0575	.0625 .0525	2.40625	28	.0187	.0217 .0157	0.78125
18	.0516	.0566 .0466	2.15625	29	.0172	.0202 .0142	0.71875
19	.0456	.0506 .0406	1.90625	30	.0157	.0187 .0127	0.65625
20	.0396	.0436 .0356	1.65625				