



GABLE END LOUVERS

Designed to be mounted in the gable end of a building, allowing proper ventilation of attic or enclosed spaces. They offer all weather protection and the #4 mesh hardware cloth prevents birds and insects from entering the space. Available in Flush Type or Limited Recessed (for stucco).



CONSTRUCTION

Die formed & spot welded galvanized steel backed with #4 mesh hardware cloth for strength and appearance

ADVANTAGES

- Reduces attic temperatures
- Lowers utility costs

PATENT #3732800

Model GL

W x H INCHES	FREE AREA SQ. INCHES	APPROX. WEIGHT (LBS)	W x H INCHES	FREE AREA SQ. INCHES	APPROX. WEIGHT (LBS)
12 x 12*	48	1.5	20 x 12	84	2.3
12 x 14	59	2	20 x 14	102	2.67
12 x 18*	80	2.06	20 x 18	140	3
12 x 20	90	2.3	20 x 20	158	4
12 x 24	112	3.5	20 x 24	196	5
12 x 30	143	4	20 x 30	248	5.74
14 x 12*	57	2	24 x 12	102	3.25
14 x 14	70	2.5	24 x 14	124	3.2
14 x 18*	95	3.5	24 x 18	170	4.13
14 x 20	108	4	24 x 20	192	4.58
14 x 24*	133	6	24 x 24*	237	4.5
14 x 30	164	6	24 x 30*	306	5
14 x 36	208	6.5	24 x 36	373	6
16 x 16	88	5.5	30 x 12	129	3.44
16 x 18	98	4	30 x 18	214	4
16 x 24	154	6	30 x 20	248	5.73
18 x 12	75	2.06	30 x 24	300	6.88
18 x 14	107	2.5	30 x 30	386	8.59
18 x 18*	125	3.09	36 x 12	147	5
18 x 20	175	4	36 x 18	259	8
18 x 24*	191	4.13	36 x 24	363	10.50
18 x 30	216	4.5	36x 30	467	11
18 x 36	274	6	36 x 36	570	11.75

* Indicates availability in Recessed (for stucco)

All listed sizes are readily available. Other sizes can be special ordered.



LOUVERS

Designed to be mounted in the gable end of a building, allowing proper ventilation of attic or enclosed spaces.

Model RGL



Model HRGL



Model OGL



ADVANTAGES

- o Reduces attic temperatures
- o Lowers utility costs_
- o Stops birds and insects from entering
- o Deflects rain
- o Does not obstruct air flow
- o Compliments architecture

CONSTRUCTION

Die formed & spot welded galvanized steel backed with #4 mesh hardware cloth for strength and appearance

ROUND			HALF ROUND			OCTAGON		
SIZE	FREE AREA SQ. INCHES	APPROX. WEIGHT (LBS)	SIZE	FREE AREA SQ. INCHES	APPROX. WEIGHT (LBS)	SIZE	FREE AREA SQ. INCHES	APPROX. WEIGHT (LBS)
12"	41	3	18"	41	3	18"	114	4
14"	60	3	24"	81	4	24"	207	6
16"	79	5	30"	145	5			
18"	98	4	36"	210	8			
20"	120	5	48"	367	12			
24"	176	6	60"	551	20			
30"	260	8						
36"	464	12						
48"	705	15						

**ALSO AVAILABLE IN HEXAGON, ROUND TOP, ROUND BOTTOM, TRI TOP OR ARCH TOP
CONTACT YOUR SALES REPRESENTATIVE FOR PRICING AND LEAD TIMES**



LOUVERS

ROUND TOP LOUVERS



Model RTGL

General Metals can custom fabricate any SIZE or SHAPE of any GABLE END LOUVER!

ROUND TOP GABLE END LOUVERS STOCKED

SIZE	FREE AREA SQ. INCHES	APPROX. WEIGHT (LBS)
12 x 18	68	3
12 x 24	100	3.5
14 x 18	118	3.5
14 x 24	144	4
18 x 24	163	4.13
18 x 30	213	5.16
24 x 18	148	4.13
24 x 24	190	5
24 x 30	248	6.9
24 x 36	267	8.6
30 x 30	283	8.6
36 x 18	244	8
36 x 24	263	8.6
36 x 30	284	11
36 x 36	519	11.75

TRI-TOP LOUVERS

Special Order Only!



WALL LOUVERS

Special Order Only!

General Metals 18 gauge galvanized steel wall louvers are 4" thick with 1/2" mesh 18 gauge hardware cloth backing.



Typically used to vent commercial buildings, pool equipment rooms, commercial or industrial laundry rooms, mechanical rooms and make-up air venting for boiler rooms.