




# PRODUCT GUIDE

Evaporator Coil // **Air Handler** // Unit Heater

## Soffit Mount

Multi-family Air Handler

---



## Bringing the ADP Experience to Multi-family

ADP soffit mount air handlers are the perfect replacement for multi-family applications, offering the premier ADP experience of custom solutions, availability and built-in quality.

With the development of our soffit mount air handlers, ADP brings an opportunity for distributors to meet the needs of the rapidly growing replacement market. ADP offers the best lead times in the industry, delivers reliable ratings, as well as having a no hassle 5-year limited warranty with a 10-year limited warranty with registration.




FEATURE	BENEFIT
Copper or Aluminum Coil	Increased internal volume for more match-ups
1.5, 2, 2.5 Ton	Multiple sizes to meet replacement market needs
Factory Installed Heat	3, 5, 6, 8, 10 kW heat kits reduce complexity of installation
Factory Installed TXV	Factory installed TXV's with all threaded connections saves times in the field
PSC or ECM Motor	High efficiency ECM motor for enhanced performance



ADP soffit mount air handlers are made for seamless and simple installation, ensuring quality through proprietary testing technology and optimal performance.


## Perfect Fit

- Fits industry standard footprint
- Shallow depth for easy installation
- Standard connection locations



## Cased Options

- Optional factory installed case for new construction
- Knock-down case accessory saves storage space
- Both cased options return air capable



## Quality Assurance

- Air under water leak test
- Secondary helium leak test
- 100% run test



## The ADP Advantage

- |                       |  |
|-----------------------|--|
| <b>FLEXIBILITY</b>    | ADP tailors custom solutions to meet your unique market needs.   |
| <b>QUALITY</b>        | ADP proprietary testing technology ensures leak-free performance at the higher operating pressures of R-410A systems.  |
| <b>SERVICE</b>        | Healthy Solutions® coils are made for seamless installation and easy access.   |
| <b>ENERGY SAVINGS</b> | Many models are available to achieve higher SEER levels for ENERGY STAR compliance, utility rebates, and federal tax credits.  |
| <b>WARRANTY</b>       | Soffit mount multi-family air handlers feature an available 10-year limited warranty. Simply register online at <a href="http://www.ADPwarranty.com">www.ADPwarranty.com</a> . |

# Soffit Mount Multi-family Air Handler



Made in the USA  
from US and imported parts


## NOMENCLATURE

C	P	18	01C	H	H	P	03	1	-C
Series	Blower Motor	Unit Size (MBTUH)	Slab Number	Metering Device	Airflow Config.	Line Connection	Electric Heat	Voltage	Option
C: Ceiling mount	P: PSC motor	18	01C	A: Piston (R-410A) w/Access Port	H: Horiz. only	S: Stripped wire (no heat models only) P: Pull disconnect	00: No heat	1: 208/240 V, 60 Hz, 1ph.	Blank: Uncased C: Factory installed case
		19	02C				03: 3 kW (18-24)		
	E: ECM constant torque	23	03C	P: Piston (R-410A)	05: 5 kW (all sizes)				
		24	04C	T: Non-bleed A/C TXV (R-410A)	06: 6 kW (all sizes)				
		25	etc. = CU slab	H: Non-bleed HP-A/C TXV (R-410A)	08: 8 kW (all sizes)				
		29	01A	B: Bleed A/C TXV (R-410A) <sup>[1]</sup>	10: 10 kW (24-30)				
		30	02A	C: Bleed HP TXV (R-410A) <sup>[1]</sup>					
			03A						
			04A						
			etc. = AL slab						


**NOTES:**  
[1] 7 and 8 valve options only for York family products

Uncased Size	18, 23	19, 24, 29	25, 30
Height (in)	10.5	10.5	10.5
Depth (in)	19.5	20.5	20.5
Width (in)	37	43	49
Cased Size	18, 23	19, 24, 29	25, 30
Height (in)	11	11	11
Depth (in)	24	24	24
Width (in)	39.7	45.7	51.7


## AVAILABLE ACCESSORIES




Field Assembled Case




Louvered or Non-louvered Panel



Float Switch



Heat Kit



Heat Pump Relay

Proudly distributed by:

2175 West Park Place Boulevard  
Stone Mountain, Georgia 30087  
www.adpnow.com

